# Virginia COVID-19 Surveillance Data Update


**December 22, 2021** 



# Daily new confirmed COVID-19 cases per million people




7-day rolling average. Due to limited testing, the number of confirmed cases is lower than the true number of infections.



Source: Our World in Data

# 256 Cumulative Omicron Cases (as of 12/5)

# 5,455 Cumulative Omicron Cases (as of 12/13)




### **COVID Context:**

- In the United Kingdom, cases since last week increased to 83,526 (7-day MA) per day (+61%)
- Approximately 69% of UK's population is fully vaccinated compared to 61% of US population




"Variants under Investigation"
Mu (VUI-21JUL-01)
VUI-21OCT-01
VUI-21FEB-04

## Compared to last week, NYC Cases increased to 9,471 (7-day MA) (+187%)



## Compared to last week, NYC hospitalizations decreased to 94 (7-day MA) (-12%)



# 92% of cases sequenced in Region 2 (NJ, NY) are Omicron




Source: COVID-19: Data Trends and Totals - NYC Health; CDC COVID Data Tracker



President Biden Announces New Actions to Battle Omicron: December 21, 2021
President Biden announced the following actions to mobilize national and state
leaders in responding to Omicron:

- Additional Medical Personnel mobilizing 1,000 troops to hospitals and emergency response teams to states
- Expanding hospital capacity Preparing FEMA to deploy ambulances, response teams and surge facilities to states
- Providing Critical Supplies Masks, gloves and ventilators ready to supply to states if needed
- Increasing Access to Free Testing new federal testing sites, free rapid tests for delivery
- Expanding vaccination sites new pop-up vaccination clinics, scaling pharmacy capacity



|                            | Cases in the Last 7 Days<br>Per 100k Population |  |  |
|----------------------------|---|--|--|
| Virginia                   | 255.8 ( <del>+20.7%</del> )                     |  |  |
| U.S.                       | 279.7 (+12.8%)                                  |  |  |
| New York City*<br>New York | 673.6 (+113.2%)<br>536.1 (+20.7%)               |  |  |
| New Hampshire              | 632.5 (-3.3%)                                   |  |  |
| Ohio                       | 528.8 (+20.2%)                                  |  |  |

# **Our Neighbors**


# **Rates Higher than Virginia**

West Virginia, **410.6** (+7.2%)
District of Columbia, **356.6** (+79.2%)
Kentucky, **330.9** (-4.1%)

## **Rates Lower than Virginia:**


North Carolina, **138.8** (-25.4%) Tennessee, **143.2** (-21.7%)

\*Maryland, **N.A.** 



- Compared to last week, cases increased to 132,659 (7-day MA) per day (+12.9%)
  - 47% lower than the January peak of 2021
  - 19% lower than the September high of 2021
- Hospitalizations decreased to 7,802 (7-day MA)
   per day (-1.8%)
- Deaths increased to 1,169 per day (+3.4%)





Source: CDC COVID Data Tracker

## National Omicron Prevalence: 12.6 to 73.2% in a week




Projected 76% of specimens collected in Region 3 (DE, DC, MD, VA, WV) are Omicron



Source: CDC Variant Tracking Collection date, week ending

# Cases by Date of Symptom Onset, Past 13 weeks




Gray shaded area illness may not have been reported yet


Compared to last week, **cases increased** to 3,575 (7-day MA) from 2,545 per day (+40.5%)

- 42% lower than the January peak of 2021
- 3% lower than the September high of 2021
- Hospitalizations increased to 1,431 per day (+13.7%)
- Deaths decreased to 26 per day (-6.1%)

# **Cases by Date Reported, All Reporting Timeline**



## **COVID-19 in Virginia Hospitals**



Compared to last week hospitalizations increased to 1,431 (7-day MA) from 1,259 (+13.7%)

 34% lower than the September high of 2021


Compared to last week. ICU hospitalizations have **increased to 378** from 301 (+26%)


213 patients are currently on ventilator support

- 39% lower than the September high of 2021
- 17% lower than the December 21<sup>st</sup>, 2020, Hospitalization Rate


- Confirmed COVID-19 Patients Currently on Ventilator Support\*
- ICU Hospitalizations (Confirmed + Pending)
- CONFIRMED Hospitalizations
- Total Current COVID Hospitalizations (Confirmed + Pending)
- 7 Day Moving Average of COVID-19 Current Hospitalizations (Confirmed + Pending)







Region 3 Influenza Positive Tests from most recent 3 weeks (ending 12/11)



Source: National, Regional, and State Level Outpatient Illness and Viral Surveillance (cdc.gov)


## **Key Trends**

- Outbreaks in LTCFs have accounted for 24% of total COVID-19 outbreaks in Virginia.
  - There were <u>54 LTCF COVID-19 outbreaks reported in the past 30 days</u>: 17 in Southwest, 14 in Northwest, 10 in Central, 10 in Eastern, and 3 in Northern (see figure top right).
- The number of reported resident and staff cases have increased in recent weeks (see figure bottom right).
  - For the reporting week ending December 12, 2021, <u>140 resident and 86 staff cases</u> were reported to NHSN.
- For reporting week ending December 12, 2021, data reported from 284 nursing homes showed <u>88% of residents were fully vaccinated</u>; data reported from 284 nursing homes showed <u>87% of staff were fully vaccinated</u> (see figure bottom left).
  - Of the 18,897 residents eligible to receive an additional dose or booster, 12,131 (64%) have received an additional dose or booster of COVID-19 vaccine.
  - Of the 23,499 healthcare personnel eligible to receive an additional dose or booster, 8,568 (37%) have received an additional dose or booster of COVID-19 vaccine.
  - Twenty-one (7%) nursing homes reported that **no** eligible residents have received an additional dose or booster of COVID-19 vaccine at the time of reporting.

## **COVID-19 Booster Vaccination in Virginia Nursing Homes (n=286)**


#### **Nursing Home Residents**

#### **Nursing Home Staff**




Data are from the National Healthcare Safety Network (NHSN) as of 12/21/2021 and are subject to change, including booster eligibility per updated vaccine guidance. In Virginia, 284 nursing homes reported resident vaccination data for reporting week ending 12/12/2021; 284 nursing homes reported staff vaccination data for reporting week ending 12/12/2021. For staff type definitions, refer to NHSN Table of Instructions.

## Number and Region of LTCF COVID-19 Outbreaks by Date VDH Notified




Includes outbreaks reported from nursing homes, assisted living facilities, and multicare facilities to VDH with a confirmed or suspected etiologic agent of SARS-CoV-2; updated 12/20/2021.

### Nursing Home Resident and Staff COVID-19 Cases



Data are from NHSN as of 12/21/2021 and are subject to change. For reporting information, please refer to the NHSN data collection forms: residents, staff.

#### Metrics date: 12/19/2021



| Burden           | Level 0 | Level 1 | Level 2 | Level 3 | Level 4       |
|------------------|---------|---------|---------|---------|---------------|
| New Cases        | <10     | 10-49   |         | 50-100  | >100          |
| % Positivity     | <3      | 3-5     | 5-8     | 8-10    | >10           |
| CLI ED<br>Visits | <4      |         | 4-5.9   |         | <u>&gt;</u> 6 |

| Symbol   | Trend       |  |
|----------|-------------|--|
| <b>↑</b> | Increasing  |  |
| <b>+</b> | Decreasing  |  |
| 0        | Fluctuating |  |

Please note: the methods used this week have changed slightly; data is now compared from Sunday to Sunday instead of Wednesday to Wednesday


Source: Region Metrics - Coronavirus

## **COVID-19 Scenario Projections: The Emergence of Omicron in the US: December 16, 2021**

Based on emerging Omicron data, University of Texas researchers, in consultation with CDC, developed a model to simulate COVID-19 cases, hospitalizations, and deaths over a 6-month period – the most elucidating findings across all scenarios include:

- Assuming that Omicron is at 0.01% prevalence in the United States as of December 1, all scenarios expect the variant to quickly overtake
   Delta in the US
- Increasing booster rates from 57% to 80% by March 1 decreases the projected reported cases by 5%, hospitalizations by 12%, and deaths by 13%
- In the most pessimistic scenario, Omicron is expected to overwhelm hospitals and healthcare providers in a wave peaking in early February 2022, resulting in nearly double the hospital admissions of the January 2021 peak. Under the most optimistic scenario, Omicron peaks in mid-January 2022 and hospital admissions are less than half the January 2021 peak.

|                          | Transmission                       | Characteristics                               | Severity Characteristics                                   |  |  |
|--------------------------|------------------------------------|---|--|--|--|
| Omicron<br>scenario      | Transmissibility relative to Delta | Immune escape relative to Delta (infections)* | Immune escape<br>relative to Delta<br>(hospitalizations)** | Immune escape<br>relative to Delta<br>(deaths)** |  |
| Baseline<br>(no Omicron) | NA                                 | NA  | NA   | NA   |  |
| Scenario 1A              | 155%                               | 42.5%   | 32%  | 22%  |  |
| Scenario 1B              | 150%                               | 10%   | 22%  | 12%  |  |
| Scenario 1C              | 100%                               | 85%   | 32%  | 22%  |  |
| Scenario 1D              | 80%                                | 50%   | 22%  | 12%  |  |



## mRNA-based COVID-19 vaccine boosters induce neutralizing immunity against SARS-CoV-2 Omicron variant

A cohort study of 239 COVID-19 vaccinees to measure neutralization potency of sera amongst recently vaccinated (<3 months), distantly vaccinated (6-12 months), and recently boosted individuals against Omicron. Findings suggest that:

- Receiving a third dose (booster) of an mRNA based vaccine induces higher neutralization titers against all SARS-CoV-2 types, increasing
  the breadth of humoral immunity and cross reactivity against Omicron
- Recent boosting in infection-naïve individuals yielded the highest neutralization activity to Omicron compared to those recently vaccinated (<3 months) and distantly vaccinated (6-12 months)</li>

• When interpreting Omicron's ability to use ACE2 protein and infect ACE2 cells, Omicron was found to be 4-fold more infectious than wild

type and 2-fold more infectious than Delta variant

Omicron 4x more infectious than Wild Type

